CHAMOT

Recombinant Human HMGB1 C23AC45A (mammalian cell expression)

CM176-5HP CM176-20HP CM176-100HP CM176-500HP CM176-1000HP



上とと

- 1 产品简介
- 2 产品组成
- 3 产品储存
- 4 产品使用



Recombinant Human HMGB1 C23AC45A(mammalian cell expression)

编号: CM176-5HP 规格: 5 μg CM176-20HP 20 μg

CM176-20HP 25 μg
CM176-100HP 100 μg
CM176-500HP 500 μg
CM176-1000HP 1 mg

类别: 重组蛋白 应用: Functional Assay

产品简介

描述: HMGB1 is present in the nuclei

(chromatin associated) and

cytoplasm of all cells and is a highly conserved protein in variety of species that. In the cytoplasm,

HMGB1 is a regulator of autophagy, enhances cell survival, and limits apoptosis. It also can reduces protein aggregation caused by heat or

chemical stress. HMGB1 is released

to the extracellular milieu by inflammatory cells and by necrotic and apoptotic cells. Once released, it

works as an inflammatory cytokine.

HMGB1 is also secreted by

macrophages and monocytes as a late response to LPS, TNF- $\,$, IL-1 $\,$, or

IFN- .

来源: HEK293

纯度: >98% as determined by SDS-PAGE.

Ni-NTA chromatography.

生物学活性: Measure by its ability to induce TNF

alpha in RAW264.7 cells. The ED₅₀


for this effect is $<10 \mu g/mL$.

内毒素检测: < 0.1 EU per 1 µg of the protein by

the LAL method.

蛋白序列: MGKGDPKKPRGKMSSYAFFVQTAREE

HKKKHPDASVNFSEFSKKASERWKTM SAKEKGKFEDMAKADKARYEREMKTY



SDS-PAGE analysis of recombinant human HMGB1 C23AC45A



IPPKGETKKKFKDPNAPKRPPSAFFLFC SEYRPKIKGEHPGLSIGDVAKKLGEM WNNTAADDKQPYEKKAAKLKEKYEK DIAAYRAKGKPDAAKKGVVKAEKSKK KKEEEEDEEDEEDEEDEEDEDEED DDDE with polyhistidine SUMO tag at the N-terminus

产品组成

成分: 从含有 1X PBS, pH 7.4溶液中冻干的

蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20℃至-80℃	自收到之日起1年
重悬液 (初始)	2℃至8℃	不超过1周
重悬液 (经稀释)	-20℃至-80℃	3到6个月

运输方式: 蓝冰

产品使用

- 1、开盖前,建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉,溶液浓度不低于100μg/mL,不高于1mg/mL,并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液, 2-8℃无菌保存不超过1周。
- 4、如需长期保存,推荐使用无菌的含载体蛋白(如0.1% BSA、10% FBS 或5% HSA)的溶液进一步稀释(不低于10 ug/mL)后分装保存,-20℃至-80℃无菌保存3到6个月。无血清实验需求时,可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry; FACS= Fluorescence activated Cell Sorting; FA= Functional Assay