

CHAMOT

Recombinant Swine TNF alpha

CM010-5SP

CM010-20SP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用

Recombinant Swine TNF alpha (Tumor necrosis factor alpha)

编号:	CM010-5SP CM010-20SP	规格:	5 µg 20 µg
类别:	重组蛋白	应用:	Functional Assay

产品简介


描述: TNF- α is a kind of pleiotropic pro-inflammatory cytokine. It is secreted by various cells, such as adipocytes, activated monocytes, macrophages, B cells, T cells and fibroblasts. Proteolysis of the integral membrane precursor form of TNF- α from cells soluble can release homotrimeric TNF- α . TNF- α can bind with some TNF- α receptors induces apoptosis, besides, also trigger other responses depending on cell type, receptor expression, and signal transduction status. TNF- α participate in the inflammatory response.

来源: *Escherichia coli*
纯度: >98% as determined by SDS-PAGE. Ni-NTA chromatography.

生物学活性: Measure by its ability to induce cytotoxicity in PK15 cells in the presence of the actinomycin D. The ED₅₀ for this effect is < 15 pg/mL.

内毒素检测: < 0.1 EU per 1 µg of the protein by the LAL method.

蛋白序列: MLRSSSQTS DKPVAHV VANVKAEGQ
LQWQSGYANALLANGVKLKDNLV
VPTDGLYLIYSQVLFRGQGCPSTNVFL
THTISRIAVSYQTKVNLLSAIKSPCQRE
TPEGAEAKPWYEPIYLGGVFQLEKDD
RLSAEINLPDYLDFAESGQVYFGIIAL
with polyhistidine tag at the C-terminus



SDS-PAGE analysis of recombinant swine TNF alpha

产品组成

成分：从含有 1X PBS, pH7.4. 溶液中冻干的蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液 (初始)	2°C至8°C	不超过1周
重悬液 (经稀释)	-20°C至-80°C	3到6个月

运输方式：蓝冰

产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100 μ g/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8°C无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1% BSA、10% FBS 或5% HSA）的溶液进一步稀释（不低于10 μ g/mL）后分装保存，-20°C至-80°C无菌保存3到6个月。无血清实验需求时，可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay