CHAMOT

Recombinant Human FGF-22


CM111-5HP

CM111-20HP

CM111-100HP

CM111-500HP

CM111-1000HP



上とと

- 1 产品简介
- 2 产品组成
- 3 产品储存
- 4 产品使用



Recombinant Human FGF-22(Fibroblast growth factor-22)

编号: CM111-5HP 规格: 5 μg

CM111-20HP 20 μg CM111-100HP 100 μg CM111-500HP 500 μg CM111-1000HP 1 mg

类别: 重组蛋白 应用: Functional Assay

产品简介

描述: FGF-22 is a member of the fibroblast

growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. The mouse

morphogenesis, tissue repair, tumor growth and invasion. The mouse homolog of this gene was found to be preferentially expressed in the inner root sheath of the hair follicle, which suggested a role in hair

development.

来源: Escherichia coli

纯度: >98% as determined by SDS-PAGE.

Ni-NTA chromatography.

生物学活性: Measure by its ability to induce 3T3

cells proliferation. The ED₅₀ for this

effect is < 2 ng/mL.

内毒素检测: < 0.1 EU per 1 μg of the protein by


the LAL method.

蛋白序列: TPSASRGPRSYPHLEGDVRWRRLFSS

THFFLRVDPGGRVQGTRWRHGQDSI LEIRSVHVGVVVIKAVSSGFYVAMNR RGRLYGSRLYTVDCRFRERIEENGHNT YASQRWRRRGQPMFLALDRRGGPRP

GGRTRRYHLSAHFLPVLVS with polyhistidine tag and SUMO tag at

the N-terminus



SDS-PAGE analysis of recombinant human FGF-22



产品组成

成分:

从含有 1X PBS, pH 8.0 溶液中冻干的

蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20℃至-80℃	自收到之日起1年
重悬液 (初始)	2℃至8℃	不超过1周
重悬液 (经稀释)	-20℃至-80℃	3到6个月

运输方式:

蓝冰

产品使用

- 1、开盖前,建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉,溶液浓度不低于100μg/mL,不高于1mg/mL,并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液, 2-8℃无菌保存不超过1周。
- 4、如需长期保存,推荐使用无菌的含载体蛋白(如0.1% BSA、10% FBS 或5% HSA)的溶液进一步稀释(不低于10ug/mL)后分装保存,-20℃至-80℃无菌保存3到6个月。无血清实验需求时,可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry ;FACS= Fluorescence activated Cell Sorting; FA= Functional Assay