

CHAMOT

Recombinant Human MTM1

CM189-5HP

CM189-20HP

CM189-100HP

CM189-500HP

CM189-1000HP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存


4 产品使用

Recombinant Human MTM1(Myotubularin)

编号:	CM189-5HP CM189-20HP CM189-100HP CM189-500HP CM189-1000HP	规格:	5 µg 20 µg 100 µg 500 µg 1 mg
类别:	重组蛋白	应用:	Functional Assay

产品简介

描述:	<p>Myotubularin is a protein that plays a crucial role in cellular processes and is primarily associated with a rare genetic disorder called myotubular myopathy (MTM). This disorder primarily affects skeletal muscles and is characterized by severe muscle weakness and impaired motor function.</p> <p>Myotubularin is an enzyme that regulates the levels of a lipid molecule called phosphatidylinositol 3-phosphate (PI3P) within cells. PI3P is involved in various cellular functions, including membrane trafficking and signaling pathways. Mutations in the gene encoding myotubularin lead to a deficiency or loss of its enzymatic activity, disrupting PI3P metabolism and causing the development of MTM.</p>
来源:	<i>Escherichia coli</i>
纯度:	>95% as determined by SDS-PAGE.
生物学活性:	Testing in process
内毒素检测:	< 1 EU per 1 µg of the protein by the LAL method.
蛋白序列:	A DNA sequence encoding Human MTM1 Protein (#Q13496)(Met1-Phe603) was expressed with polyhistidine tag at the N-terminus.



SDS- PAGE analysis of recombinant human MTM1

产品组成

成分：从含有 1X PBS, pH 7.4 溶液中冻干的蛋白质。

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20℃至-80℃	自收到之日起1年
重悬液 (初始)	2℃至8℃	不超过1周
重悬液 (经稀释)	-20℃至-80℃	3到6个月

运输方式：蓝冰

产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100μg/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8℃无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1%BSA、10%FBS或5%HSA）的溶液进一步稀释（不低于10ug/mL）后分装保存，-20℃至-80℃无菌保存3到6个月。无血清实验需求时，可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay