

CHAMOT

Recombinant Mouse CD27L

CM089-5MP

CM089-20MP

CM089-100MP

CM089-500MP

CM089-1000MP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用

Recombinant Mouse CD27L (CD27 ligand)

编号:	CM089-5MP	规格:	5 µg
	CM089-20MP		20 µg
	CM089-100MP		100 µg
	CM089-500MP		500 µg
	CM089-1000MP		1 mg

类别: 重组蛋白 应用: Functional Assay

产品简介

描述: CD27 Ligand, which belongs to the TNF superfamily, is a type II transmembrane protein. Like NK cells, CD27L is also located in activated T and B lymphocytes. Along with NK enhancement, CD27L and its receptor regulate the immune response by raising expansion and differentiation of T cell. CD27 signaling can act like a co-stimulatory effector to sustain survival of the CD8+ T cells, mainly by increasing expression of the IL-2 gene.


来源: *Escherichia coli*

纯度: >98% as determined by SDS-PAGE.
Ni-NTA chromatography.

生物学活性: Measure by its ability to induce proliferation in mouse T cells in the presence of the anti-CD3 antibody. The ED₅₀ for this effect is < 4.5 µg/mL.

内毒素检测: < 0.1 EU per 1 µg of the protein by the LAL method.

蛋白序列: QQQRLLHEHPEPHTAELQLNLTVPRKD
PTLRWGAGPALGRSFTHGPELEEGHL
RIHQDGLYRLHIQVTLANCSSPGSTLQ
HRATLAVGICSPAAGISLLRGRFGQ
DCTVALQRLTYLVHGDVLCTNLLPLLP
SRNADETFFGVQWICP with
polyhistidine tag at the N-terminus



SDS-PAGE analysis of recombinant mouse CD27L

产品组成

成分： 从含有 1X PBS, pH7.4. 溶液中冻干的蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液 (初始)	2°C至8°C	不超过1周
重悬液 (经稀释)	-20°C至-80°C	3到6个月

运输方式： 蓝冰

产品使用

1、开盖前，建议3000-3500rpm离心5min。

2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100μg/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。

3、重悬后的溶液，2-8°C无菌保存不超过1周。

4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1% BSA、10% FBS 或 5% HSA）的溶液进一步稀释（不低于10ug/mL）后分装保存，-20°C至 -80°C无菌保存3到6个月。无血清实验需求时，可更换为 5% 海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
 FACS= Fluorescence activated Cell Sorting; FA= Functional Assay