CHAMOT

Recombinant Mouse CXCL9

CM091-5MP

CM091-20MP

CM091-100MP

CM091-500MP

CM091-1000MP



上とと

- 1 产品简介
- 2 产品组成
- 3 产品储存
- 4 产品使用



Recombinant Mouse CXCL9 (C-X-C motif chemokine 9)

规格:

应用:

编号: CM091-5MP

重组蛋白

CM091-20MP CM091-100MP CM091-500MP CM091-1000MP

5 µg

20 µg

100 µg

500 µg

Functional Assay

1 mg

产品简介

类别:

描述: CXCL9, also named Monokine, is a

member of the CXC chemokine family and is induced by gamma interferon (MIG). Following induced by IFN-gamma, this chemokine can attract T-cells . CXCL9 has close relationship with two other CXC chemokines named CXCL10 and CXCL11, additionally they all elicit their chemotactic functions by interacting with the chemokine receptor CXCR3. CXCL9 is also a cytokine that affects the growth,

participating in immune and inflammatory response and work as a

chemoattractant of activated T-cells.

movement, or activation state of cells

来源: Escherichia coli

纯度: >98% as determined by SDS-PAGE.

生物学活性: Measure by its ability to

chemoattract human THP1 cells using a concentration range of 50-

100 ng/mL.


内毒素检测: < 0.1 EU per 1 μg of the protein by

the LAL method.

蛋白序列: TLVIRNARCSCISTSRGTIHYKSLKDLK

QFAPSPNCNKTEIIATLKNGDQTCLD PDSANVKKLMKEWEKKINQKKKQKR GKKHQKNMKNRKPKTPQSRRRSRKT Twith polyhistidine tag at the N-

terminus



SDS-PAGE analysis of recombinant mouse CXCL9



产品组成

成分: 从含有 1X PBS, pH 7.4 溶液中冻干的

蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20℃至-80℃	自收到之日起1年
重悬液 (初始)	2℃至8℃	不超过1周
重悬液 (经稀释)	-20℃至-80℃	3到6个月

运输方式: 蓝冰

产品使用

- 1、开盖前,建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉,溶液浓度不低于100μg/mL,不高于1mg/mL,并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液, 2-8℃无菌保存不超过1周。
- 4、如需长期保存,推荐使用无菌的含载体蛋白(如0.1% BSA、10% FBS 或5% HSA)的溶液进一步稀释(不低于10 ug/mL)后分装保存,-20℃至-80℃无菌保存3到6个月。无血清实验需求时,可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry; FACS= Fluorescence activated Cell Sorting; FA= Functional Assay