CHAMOT

Recombinant Mouse FasL

CM042-5MP

CM042-20MP

CM042-100MP

CM042-500MP

CM042-1000MP



上とと

- 1 产品简介
- 2 产品组成
- 3 产品储存
- 4 产品使用



Recombinant Mouse FasL (Fas ligand)

编号: CM042-5MP 规格: 5 μg

CM042-20MP 20 μg CM042-100MP 100 μg CM042-500MP 500 μg CM042-1000MP 1 mg

类别: 重组蛋白 应用: Functional Assay

产品简介

描述: FasL is a member of the TNF

superfamily, and is mainly expressed on the cell surface of activated T cells. FasL induces apoptosis in Fasbearing cells by binding to Fas Receptor. FasL has the ability to leads to down-regulation of the immune response through killing T cells and activated B cells. The mechanism of Fas-induced

apoptosis involves recruitment of pro-caspase 8 through an adaptor molecule called FADD, followed by processing of the pro-enzyme into active forms. These active caspases

then cleave various cellular

substrates, leading to the eventual

cell death.

来源: Escherichia coli

纯度: >98% as determined by SDS-PAGE.

Ni-NTA chromatography.

生物学活性: Measure by its ability to induce

apoptosis in Jurkat cells. The ED₅₀

for this effect is $< 1 \mu g / mL$.


内毒素检测: < 0.1 EU per 1 μg of the protein by

the LAL method.

蛋白序列: QIANPSTPSEKKEPRSVAHLTGNPHSRS

IPLEWEDTYGTALISGVKYKKGGLVNET GLYFVYSKVYFRGQSCNNQPLNHKVY MRNSKYPEDLVLMEEKRLNYCTTGQIW AHSSYLGAVFNLTSADHYVNISQLSLINF EESKTFFGLYKL with polyhistidine

tag at the N-terminus



SDS-PAGE analysis of recombinant mouse FasL



产品组成

成分:

从含有 1X PBS, pH 8.0 溶液中冻干的

蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20℃至-80℃	自收到之日起1年
重悬液 (初始)	2℃至8℃	不超过1周
重悬液 (经稀释)	-20℃至-80℃	3到6个月

运输方式:

蓝冰

产品使用

- 1、开盖前,建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉,溶液浓度不低于100μg/mL,不高于1mg/mL,并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液, 2-8℃无菌保存不超过1周。
- 4、如需长期保存,推荐使用无菌的含载体蛋白(如0.1 %BSA、10%FBS 或5%HSA)的溶液进一步稀释(不低于10ug/mL)后分装保存,-20℃至-80℃无菌保存3 到6个月。无血清实验需求时,可更换为 5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry; FACS= Fluorescence activated Cell Sorting; FA= Functional Assay