

CHAMOT

Recombinant Mouse HDGF

CM067-5MP

CM067-20MP

CM067-100MP

CM067-500MP

CM067-1000MP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用

Recombinant Mouse HDGF (Hepatoma-derived growth factor)

编号:	CM067-5MP CM067-20MP CM067-100MP CM067-500MP CM067-1000MP	规格:	5 µg 20 µg 100 µg 500 µg 1 mg
类别:	重组蛋白	应用:	Functional Assay

产品简介

描述: HDGF is a member of the hepatoma-derived growth factor family. HDGF plays a role as a secreted mitogen from the human hepatoma cell line Huh-7. HDGF is a nuclear targeted vascular smooth muscle cell mitogen as well as a heparin-binding protein that is greatly expressed in tumor cells where it stimulates proliferation. HDGF has several biochemical functions, for example, DNA binding, RNA polymerase II transcription corepressor activity, growth factor activity. Some of the functions are cooperated with other proteins, some of the functions could acted by HDGF itself.

来源: *Escherichia coli*
纯度: >98% as determined by SDS-PAGE. Ni-NTA chromatography.

内毒素检测: <0.1 EU per 1 µg of the protein by the LAL method.

蛋白序列: MSRSNRQKEYKCGDLVFAKMKGYPH
WPARIDEMPEAAVKSTANKYQVFFF
GTHETAFLGPKDLFPYEESEKFGKPN
KRKGFSEGLWEIENNPTVKASGYQSS
QKKSCAAEPEVEPEAHEGDGDKKGS
EGSSDEEGKLVIDEPAKEKNEKGTLLR
RAGDVLEDSPKRPKESGDHEEEDKEIA
ALEGERPLPVEVEKNSTPSEPDSGQGP
PAEEEEGEEEEAAKEEAQAQGVDRHESL
with polyhistidine tag at the C-terminus



SDS-PAGE analysis of recombinant mouse HDGF

产品组成

成分：从含有 1X PBS, pH 7.4 溶液中冻干的蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液（初始）	2°C至8°C	不超过1周
重悬液（经稀释）	-20°C至-80°C	3到6个月

运输方式：蓝冰

产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100µg/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8°C无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1%BSA、10%FBS 或5%HSA）的溶液进一步稀释（不低于10ug/mL）后分装保存，-20°C至 -80°C无菌保存3到6个月。无血清实验需求时，可更换为 5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay