

# CHAMOT

## Recombinant Mouse IFN beta 1 a

CM051-5MP  
CM051-20MP  
CM051-100MP  
CM051-500MP  
CM051-1000MP



CHAMOT

喬默生物技術(上海)有限公司  
CHAMOT BIOTECHNOLOGY CO., LTD.

# CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用

## Recombinant Mouse IFN beta 1a (Interferon beta 1a)

编号:	CM051-5MP	规格:	5 µg
	CM051-20MP		20 µg
	CM051-100MP		100 µg
	CM051-500MP		500 µg
	CM051-1000MP		1 mg

类别: 重组蛋白      应用: Functional Assay

### 产品简介


**描述:** Interferon-beta is, a cytokine, released by fibroblasts and pathogen-exposed dendritic cells, macrophages, and endothelial cells. IFN beta 1a conducts through the heterodimeric IFN-alpha/beta Receptor. IFN-beta-deficient mice are easier to suffer from experimental autoimmune encephalomyelitis (EAE), a disease model of human multiple sclerosis (MS). In addition, IFN-beta has been proved to suppress the Th17 cell response in both MS and EAE and is usually used to treat MS disease.

**来源:** *Escherichia coli*  
**纯度:** >98% as determined by SDS-PAGE. Ni-NTA chromatography.

**生物学活性:** Measure by its ability to protect HeLa cells infected with encephalomyocarditis (EMC) virus. The ED<sub>50</sub> for this effect is < 5 pg/mL. The specific activity of recombinant mouse IFN beta 1a is > 1 x 10<sup>9</sup> IU/mg.

**内毒素检测:** < 0.1 EU per 1 µg of the protein by the LAL method.

**蛋白序列:** MINYKQLQLQERTNIRKCOELLEQL  
 NGKINLTYRADFKIPMEMTEKMOKS  
 YTAFAIQEMLQNVFLVFRNNFSSTG  
 WNETIVRLLDELHQQTVFLKTVLEE  
 KQEERLTWEMSSTALHLKSYWVRV



SDS-PAGE analysis of recombinant mouse IFN beta 1a

QRYLKLMKYNSYAWMVVRAEIFRNF  
LIIRLTRNFQN with polyhistidine  
tag at the C-terminus

## 产品组成

成分: 从含有 1X PBS, pH 7.4 溶液中冻干的  
蛋白质.

## 产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液 (初始)	2°C至8°C	不超过1周
重悬液 (经稀释)	-20°C至-80°C	3到6个月

运输方式: 蓝冰

## 产品使用

- 1、开盖前, 建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉, 溶液浓度不低于100µg/mL, 不高于1mg/mL, 并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液, 2 -8°C无菌保存不超过1周。
- 4、如需长期保存, 推荐使用无菌的含载体蛋白 (如0.1% BSA、10%FBS 或5% HSA ) 的溶液进一步稀释 (不低于10ug/mL) 后分装保存, -20°C至 -80°C无菌保存3到6个月。无血清实验需求时, 可更换为 5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;  
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay