

CHAMOT

Recombinant Mouse IL-10

CM010-5MP

CM010-20MP

CM010-100MP

CM010-500MP

CM010-1000MP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存


4 产品使用

Recombinant Mouse IL-10 (Interleukin-10)

编号:	CM010-5MP CM010-20MP CM010-100MP CM010-500MP CM010-1000MP	规格:	5 µg 20 µg 100 µg 500 µg 1 mg
类别:	重组蛋白	应用:	Functional Assay

产品简介

描述: Interleukin 10 (IL-10), also known as human cytokine synthesis inhibitory factor (CSIF), is an anti-inflammatory cytokine. In humans, interleukin 10 is encoded by the IL10 gene. IL-10 signals through a receptor complex consisting of two IL-10 receptor-1 and two IL-10 receptor-2 proteins. Consequently, the functional receptor consists of four IL-10 receptor molecules. IL-10 binding induces STAT3 signalling via the phosphorylation of the cytoplasmic tails of IL-10 receptor 1 + IL-10 receptor 2 by JAK1 and Tyk2 respectively.



SDS-PAGE analysis of recombinant mouse IL-10

来源: *Escherichia coli*

纯度: >98% as determined by SDS-PAGE. Ni-NTA chromatography.

生物学活性: Measure by its ability to induce MC/9-2 cells proliferation. The ED₅₀ for this effect is < 1 ng/mL. The specific activity of recombinant mouse IL-10 is > 1 x 10⁶ IU/mg.

内毒素检测: < 0.1 EU per 1 µg of the protein by the LAL method.

蛋白序列: MSRGQYSREDNNCTHFPVGQSHML
LELRTAFSQVKTFQTKDQLDNILLTD
SLMQDFKGYLGCCQALSEMIQFYLV
EVMPQAEKHGPEIKEHLNSLGEKLT
LRMRLRRCHRFLPCENKSKAVEQVK
SDFNKLQDQGVYKAMNEFDIFINCIEAYM

MIKMKS with polyhistidine tag at
the C-terminus

产品组成

成分： 从含有 1X PBS, pH 7.4 溶液中冻干的
蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20℃至-80℃	自收到之日起1年
重悬液 (初始)	2℃至8℃	不超过1周
重悬液 (经稀释)	-20℃至-80℃	3到6个月

运输方式： 蓝冰

产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100μg/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8℃无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1%BSA、10%FBS 或5%HSA）的溶液进一步稀释（不低于10ug/mL）后分装保存，-20℃至-80℃无菌保存3到6个月。无血清实验需求时，可更换为 5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay