

# CHAMOT

## Recombinant Mouse IL-30

CM027-5MP

CM027-20MP

CM027-100MP

CM027-500MP

CM027-1000MP



CHAMOT

喬默生物技術(上海)有限公司  
CHAMOT BIOTECHNOLOGY CO., LTD.

# CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用

## Recombinant Mouse IL-30 (Interleukin-30)

编号:	CM027-5MP	规格:	5 µg
	CM027-20MP		20 µg
	CM027-100MP		100 µg
	CM027-500MP		500 µg
	CM027-1000MP		1 mg

类别: 重组蛋白 应用: Functional Assay

### 产品简介

描述: Interleukin-30 (IL-30) is a protein with a molecular weight of 28 kilodaltons, which forms one chain of the heterodimeric cytokine called interleukin 27 (IL-27), thus is sometimes called IL27-p28. The other chain of IL-27 is a molecule called Epstein-Barr induced gene-3 (EBI3). IL-30 is a member of the long-chain, 4-helix bundle family of cytokines, making it structurally similar to IL-6. This gene for this molecule is now officially called IL-27 under HGNC guidelines.


来源: *Escherichia coli*

纯度: >98% as determined by SDS-PAGE.  
Ni-NTA chromatography.

生物学活性: Measure by its ability to protect HepG2 cells infected with encephalomyocarditis (EMC) virus. The ED<sub>50</sub> for this effect is < 5 ng/mL.

内毒素检测: < 0.1 EU per 1 µg of the protein by the LAL method.

蛋白序列: MFPTDPLSLQELRREFTVSLYLARKLLS  
EVQGYVHSFAESRLPGVNLDLLPLGY  
HLPNVSLTFQAWHHLSDSERLCFLAT  
TLRPFPAMLGGLGTQGTWTSSEREQL  
WAMRLDLRDLHRHLRFQVLAAGFKC  
SKKEEDKEEEEEEEEEEKKLPLGALGGP  
NQVSSQVSWPQLLYTYQLLHSLELV  
SRAVRDLLLLSLPRRGPSAWDS with polyhistidine tag at the C-terminus



SDS-PAGE analysis of recombinant mouse IL-30

## 产品组成

成分： 从含有 1X PBS, pH 7.4 溶液中冻干的蛋白质.

## 产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液 (初始)	2°C至8°C	不超过1周
重悬液 (经稀释)	-20°C至-80°C	3到6个月

运输方式： 蓝冰

## 产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100μg/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8°C无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1%BSA、10%FBS 或 5%HSA）的溶液进一步稀释（不低于10ug/mL）后分装保存，-20°C至 -80°C无菌保存3到6个月。无血清实验需求时，可更换为 5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;

FACS= Fluorescence activated Cell Sorting; FA= Functional Assay