

CHAMOT

Recombinant Mouse LIF

CM066-5MP
CM066-20MP
CM066-100MP
CM066-500MP
CM066-1000MP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用


Recombinant Mouse LIF

编号:	CM066-5MP	规格:	5 μ g
	CM066-20MP		20 μ g
	CM066-100MP		100 μ g
	CM066-500MP		500 μ g
	CM066-1000MP		1 mg

类别: 重组蛋白 应用: Functional Assay

产品简介

描述: LIF, a pleiotrophic factor, is identified in multiple cell types, including T cells, myelomonocytic lineages, fibroblasts, liver, heart and melanoma. LIF is capable of promoting long-term maintenance of embryonic stem cells by inhibiting spontaneous differentiation. In addition, LIF also have abilities including stimulation of differentiation of cholinergic nerves, the stimulation of acute phase protein synthesis by hepatocytes, and suppression of adipogenesis by supressing the lipoprotein lipase in adipocytes.



SDS-PAGE analysis of recombinant mouse LIF

来源: *Escherichia coli*

纯度: >95% as determined by SDS-PAGE. Ni-NTA chromatography.

生物学活性: Measure by its ability to induce IL-6 secretion in M1 cells. The ED₅₀ for this effect is < 0.5 ng/mL. The specific activity of recombinant mouse LIF is > 2 x 10⁶ IU/mg.

内毒素检测: < 0.1 EU per 1 μ g of the protein by the LAL method.

蛋白序列:
 SPLPITPVNATCAIRHPCHGNLMNQI
 KNQLAQLNGSANALFISYYTAQGEPF
 PNNVEKLCAPNMTDFPSFHGNGTEK
 TKLVELYRMVAYLSASLTNITRDQKVL
 NPTAVSLQVKLNATIDVMRGLLSNVL
 CRLCNKYRVGHVDVPPVPDHSKDEA
 FQRKKLGCQLLGTYSKQVISVVVQAF

with polyhistidine tag at the N-terminus

产品组成

成分： 从含有 1X PBS, pH 7.4 溶液中冻干的蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液 (初始)	2°C至8°C	不超过1周
重悬液 (经稀释)	-20°C至-80°C	3到6个月

运输方式： 蓝冰

产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100 μ g/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8°C无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1%BSA、10%FBS 或5%HSA）的溶液进一步稀释（不低于10 μ g/mL）后分装保存，-20°C至-80°C无菌保存3到6个月。无血清实验需求时，可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay