

CHAMOT

Recombinant Human Noggin

CM172-5HP
CM172-20HP
CM172-100HP
CM172-500HP
CM172-1000HP



CHAMOT

喬默生物技術(上海)有限公司
CHAMOT BIOTECHNOLOGY CO., LTD.

CONTENT

1 产品简介

2 产品组成

3 产品储存

4 产品使用

Recombinant Human Noggin

编号:	CM172-5HP	规格:	5 µg
	CM172-20HP		20 µg
	CM172-100HP		100 µg
	CM172-500HP		500 µg
	CM172-1000HP		1 mg

类别: 重组蛋白 应用: Functional Assay

产品简介

描述: Noggin is a bioactive protein intended for use in cell culture applications. Noggin protein which binds to ligands of the TGF- family and regulates their activity by inhibiting their access to signaling receptors. Noggin was originally identified as a BMP-4 antagonist whose action is critical for proper formation of the head and other dorsal structures.


来源: *Escherichia coli*

纯度: >98% as determined by SDS-PAGE. Ni-NTA chromatography.

生物学活性: Measure by its ability to inhibit BMP-4-induced alkaline phosphatase production by ATDC5 cells. The ED₅₀ for this effect is <0.05 µg/mL in the presence of 50 ng/mL of recombinant human BMP-4.

内毒素检测: < 0.1 EU per 1 µg of the protein by the LAL method.

蛋白序列: MQHYLHIRPAPSDNLPLVDLIEHPDPI
 FDPKEKDLNETLLRSLLGGHYDPGFM
 ATSPPEDRPGGGGGAAGGAEDLAELD
 QLLRQRPSGAMPSEIKGLEFSEGLAQQ
 KKQRLSKKLRRKLQMWLWSQTFCPVL
 YAWNDLGSRFWPRYVKVGSFCFSKRS
 CSVPEGMVCKPSKSVHLTVLRWRCQR
 RGGQRCGWIPIQYPII SECKCSC with polyhistidine tag at the C-terminus



SDS-PAGE analysis of recombinant human Noggin

产品组成

成分： 从含有 1X PBS, pH 7.4 溶液中冻干的蛋白质.

产品储存/运输

产品形式	储存温度	储存时间
冻干粉	-20°C至-80°C	自收到之日起1年
重悬液 (初始)	2°C至8°C	不超过1周
重悬液 (经稀释)	-20°C至-80°C	3到6个月

运输方式： 蓝冰

产品使用

- 1、开盖前，建议3000-3500rpm离心5min。
- 2、推荐使用无菌水重悬冻干粉，溶液浓度不低于100 μ g/mL，不高于1mg/mL，并室温静置至少20min以充分溶解。勿涡旋剧烈振荡。
- 3、重悬后的溶液，2-8°C无菌保存不超过1周。
- 4、如需长期保存，推荐使用无菌的含载体蛋白（如0.1%BSA、10%FBS或5%HSA）的溶液进一步稀释（不低于10 μ g/mL）后分装保存，-20°C至-80°C无菌保存3到6个月。无血清实验需求时，可更换为5%海藻糖溶液作为载体。避免反复冻融。

WB= Western Blot; IP= Immunoprecipitation; IF= Immunofluorescence; IHC= Immunohistochemistry;
FACS= Fluorescence activated Cell Sorting; FA= Functional Assay